

Sliding Door &
Window, Rollers,
Accessories &
Furniture Castors



Design to Perform
CATALOUGE 2025



01

About Us
01-02

02

Sliding Window Roller
03-09

03

Domal & Euro Series Sliding Window Roller
10-21

04

Upvc & Mesh Roller
22-22

05

Sliding Door Roller
23-27

06

Sliding & Openable Door Lock
28-28

07

Sliding Window Single Point Lock
29-31

08

Sliding Window Center Lock
32-32

09

Mortise Handles
33-34

10

Casement Door Cylinder & Lock Body
35-35

11

Euro Gear Box
36-36

12

Single Point Handles
37-37

13

Friction Stay
38-38

14

Multi Point Locking Handles
39-45

15

Casement Window & Door Hinges
46-49

16

Locking System Accessories
50-55

17

Aluminium Corner Connectors
56-58

18

Plastic Fitting Accessories
59-61

19

Chevron Series
62-62

20

Weather Strip
63-63

21

Epdm Rubber Seal
64-64

22

Door Closer
65-67

23

Floor Spring
68-68

24

Caulking Gun
69-69

25

Caulking Gun / Glass Lifter / Door Pivot
70-70

26

Dry Wall Screw
71-71

27

Wallplug
72-72

COMPANY PROFILE



THE QUALITY CULTURE

TPI's policy is to promote a culture of design, development, manufacturing, service and complete customer satisfaction cost effectively in shortest gestation period.



TPI is an innovative, unique and proactive corporate entity. A pioneer in plastic bearings, we design and manufacture plastic bearings and assemblies as well as mouldings that offer multifarious advantages over traditional steel bearings. Our range covers over 700 types of bearings designed to suit varied industrial applications. These include bearings which are non-corrosive, non-magnetic, light-weight, and self-lubrication plastic bearings and housings.

TPI Plastic bearings offer distinct advantages, including hygiene, flexibility, low friction and minimal noise. They feature shock load suspension and have low inertia. Delrin, the key ingredient used for making these bearings, yields good tensile strength, Smooth finish, high lubrication and feather-touch movement.

Incorporated in 1990 with the prime objective of manufacturing plastic bearings. TPI has come a long way having its expertise and adding new dimensions to its range and scope. So much so that we produce over 30 million pieces of bearings annually, meeting the diverse needs and specifications of our customers across India and internationally.

TPI has a state-of-the-art manufacturing facility with a dedicated highly committed workforce committed for excellence. We aim to develop technology and infrastructure on a continuing basis so that we are able to offer the contemporary technology to meet the expectations of our customers and the ever-changing demands of the marketplace.

TPI has an impressive list of satisfied customers. This includes Godrej and Boyce. Gemini Film Laboratory. Zenith Industries, Hyphen Industries, Prasad Film Laboratory, IDMC, Hindalco, SVP Packing. Vega Conveyors. Techno Link Conveyor Systems. HBL Power System. Janak Health Care. PSL Group. Star Alubuild. Shiva Steel, S P Fabricator. TVH Estate India, Nagarjuna Construction, Jaypee Group, Innofit Systems and RNP Transmission Roller Systems just to name a few.

The company is steered by a dynamic Board of Directors headed by Mr. Kirti Mulchand Shah, a veteran trader turned industrialist, who has been in the bearing industry for almost four decades. Mrs. Hansa K. Shah and Mr. Amit K. Shah are the other directors. Mr. Amit Shah also heads **TAGUS HARDWARE CONCEPTS** a leading company in hardware fittings for applications in kitchen, wardrobes, furniture fittings, glass and architectural building products under the brand **tagus**. Among the managements believes and values are: Investing in human, resources as a tool to improve the life of people which in turn would enhance the quality of its products: improving their inter-personal relations to knit them into a larger family: motivating the employees, infusing team spirit: improving their creativity and inculcating the spirit of co-operation among them. These help in building a vibrant organization.

TPI, committed to total customer satisfaction. has a clear roadmap. Its goal for the future is to do things better perpetually which will help the company stay ahead of competition while improving their own capabilities and daily performance.

SLIDING WINDOW ROLLERS





DR-13-01

Sr.No : 1
DR-13 HF (WB) for 1/2" Section



DR-19-02

Sr.No : 6
DR-19 HF (WMB) for 15mm Series



DR-19-02B

Sr.No : 6B
DR-19 HF (WB) for 15mm Series
Sec. Small Bracket



DR-19-03C

Sr.No : 6C
DR-19 HF (WB) for 15mm Series
Sec. Double Bearing



DR-22-02

Sr.No : 9
DR-22 HF (WB) for 3/4" Section



DR-22-14

Sr.No : 22
DR-22 HF (WRCB) for 3/4" Section



DR-22-19 A

Sr.No : 27A
DR-22 HF Window Bearing
14mm for 18mm Series (Green)



DR-22-19 B

Sr.No : 27B
DR-22 HF Window Bearing
16mm for 18mm Series (Orange)



DR-22-08 D

Sr.No : 16D
DR-22 HF With 625ZZ Green Bearing
for 3/4" Section



DR-22-08 E

Sr.No : 16E
DR-22 HF With 695 Pink Bearing
for 3/4" Section



DR-22-08 F

Sr.No : 16F
DR-22 HF with 625ZZ High Precision
Magenta Bearing for 3/4" Section



DR-26-08 B

Sr.No : 42B
DR-26 HF with 626ZZ Blue Bearing
for 3/4" Section



DR-26-08 F

Sr.No : 42F
DR-26 HF with 626ZZ High Precision
Magenta Bearing for 3/4" Section



DR-22-04 C

Sr.No : 11C
DR-22 HF with 625ZZ Green Brg
& Metal Bracket for 3/4" Section



DR-22-04 F

Sr.No : 11F
DR-22 HF with 625ZZ High Precision
Magenta Brg & Metal Bracket for 3/4" Section



DR-22-05

Sr.No : 12
DR-22 HF With Moulded TPI Precision Brg.
& Metal Bracket for 3/4" Section




DV-21-02

Sr.No : 13
DV-21 HF with Moulded TPI Precision Brg.
& Metal Bracket for V Track Section



DV-21-02

Sr.No : 13C
DV-21 HF with 625ZZ Brg.
& Metal Bracket for V Track Section



DR-22-07 C

Sr.No : 15C
DR-22 HF with 625ZZ Green Brg
& Metal Bkt.



DR-22-11 C

Sr.No : 19C
DR-22 HF with Reverse Metal Bkt
625ZZ Green Brg for 3/4" Sec.



DR-22-13

Sr.No : 21
DR-22 HF With Moulded TPI Precision Brg.
& Reverse Metal Bracket 3/4" Section



DV-22-13 C

Sr.No : 21C
DV 22 'V' Track with 625ZZ Green Brg.
& Reverse Metal Bracket for V Track Section



DR-22-24

Sr.No : 32
DR-22 HF Adj. Bearing (Yellow) with Brass
Screw for 20mm. Series 3/4" Section



DR-22-24A

Sr.No : 32A
DR-22 HF Adj. Bearing (Green) with MS
Screw for 20mm. Series 3/4" Section



DR-22-24B

Sr.No : 32B
DR-22 HF Adj. 626ZZ Bearing with MS
Screw for 20mm. Series 3/4" Section



DR-22-24F

Sr.No : 32F
DR-22 HF Adj. 626ZZ High Precision Brg.
with MS Screw for 20mm. Series 3/4" Section




DR-32

Sr.No : 55A
Adj. TPI Moulded Precision Brg.



DR-30-03C

Sr.No : 45C
DR-30 HF with Moulded 608ZZ Brg.
For 1" Sec



DR-30-03D

Sr.No : 45D
DR-30 HF with 608ZZ Precision brg. &
Metal Bkt For 1" Sec



DR-37-03C

Sr.No : 47D
DR-38 HF (WB) with 608ZZ Precision
Brg. For 1. 1/4" Section



DR-38-03 C

Sr.No : 51D
DR-38 HF (WB) with 608ZZ Precision Brg.
For 1. 1/4" Sec.



DR-38 01 E

Sr.No : 51E
Double Glass Structural Brg.
with 6200ZZ Precision Brg.





DOMAL & EURO SERIES SLIDING WINDOW ROLLER



DV-22-01M

Sr.No : 7GM

Single Bearing Domal Section 22mm Series
Single Load Carrying Capacity 25Kg/Pair



DV-22-01S

Sr.No : 7GS

Single Bearing Domal Section 22mm Series
Single Load Carrying Capacity 30Kg/Pair



DV-24-02A

Sr.No : 7F

Domal 27mm Series Brg. Single Bkt.
with TPI Precision Brg.
Load Carrying Capacity 50Kg/Pair



DV-27-01M

Sr.No : 7HM

Single Pink Bearing for Domal 27mm Series
Load Carrying Capacity 30Kg/Pair



DV-27-01S

Sr.No : 7HS

Domal 27mm Series Single 625ZZ
Precision Brg.
Single Load Carrying Capacity 50Kg/Pair



DV-27-01D

Sr.No : 7HD

Domal 27mm Series Double 625ZZ
Precision Brg.
Load Carrying Capacity 80Kg/Pair



DV-27-01F

Sr.No : 7HF
Domal 27mm Series Double 625ZZ
High Precision Brg.
Single Load Carrying Capacity 100Kg / Pair



DV-35-01

Sr.No : 7J
Domal 35mm Series Double 626ZZ
Precision Brg.
Load Carrying Capacity 100Kg / Pair



DV-38-01

Sr.No : 7K
Domal 38mm Series Double 626ZZ
Precision Brg.
Load Carrying Capacity 100 Kg / Pair



DV-27-03

Sr.No : 7JF
Domal 35mm Series Double 626ZZ
High Precision Brg.
Load Carrying Capacity 120Kg / Pair



DV-27-03

Sr.No : 7KF
Domal 38mm Series Double 626ZZ
High Precision Brg.
Load Carrying Capacity 120 Kg / Pair



DV-27-03

Sr.No : 7M
Domal 27mm Series 625ZZ
Precision Brg. Adjustable Metal Bkt.
Load Carrying Capacity 80 Kg / Pair



DV-27-03

Sr.No : 7LS

Domal 27mm Series 625ZZ V Groove

Precision Green Brg. Double Adjustable Bkt.

Load Carrying Capacity 60Kg / Pair



DV-27-03

Sr.No : 7LD

Domal 27mm Series 625ZZ V Groove

Precision Orange Double Brg. Adjustable Bkt.

Load Carrying Capacity 120 Kg / Pair



DV-27-03

Sr.No : 7LDU

Domal 27mm Series 625ZZ U Groove

Precision Orange Double Brg. Adjustable Bkt.

Load Carrying Capacity 120 Kg / Pair



TWR 501 V

23mm Single 625ZZ V Groove Moulded
Precision Brg. with Bkt.
Load Carrying Capacity 40Kg / Pair



TWR 501 U

23mm Single 625ZZ U Groove Moulded
Precision Brg. with Bkt.
Load Carrying Capacity 40Kg / Pair



TWR 502 V

27mm Double 625ZZ V Groove Moulded
Precision Brg. with Bkt.
Load Carrying Capacity 80Kg / Pair




TWR 502 U

27mm Double 625ZZ U Groove Moulded
Precision Brg. with Bkt.
Load Carrying Capacity 80Kg / Pair



TWR 503 V

27mm 4 Double Brg. 625ZZ
V Groove Moulded Precision Brg. with Bkt.
Load Carrying Capacity 80Kg / Pair



TWR 503 U

27mm 4 Double Brg. 625ZZ
U Groove Moulded Precision Brg. with Bkt.
Load Carrying Capacity 80Kg / Pair



TWR 504 V

25/27/29mm Single 625ZZ
V Groove Moulded Precision Brg. with Bkt.
Load Carrying Capacity 40Kg / Pair



TWR 504 U

25/27/29mm Single 625ZZ
U Groove Moulded Precision Brg. with Bkt.
Load Carrying Capacity 40Kg / Pair




TWR 505 V

25/27/29mm 2 Single 625ZZ
 V Groove Moulded Precision Brg. with Bkt.
 Load Carrying Capacity 60Kg / Pair




TWR 505 U

25/27/29mm 2 Single 625ZZ
 U Groove Moulded Precision Brg. with Bkt.
 Load Carrying Capacity 60Kg / Pair



TWR 506 V

25/27/29mm 4 Single 625ZZ
 V Groove Moulded Precision Brg. with Bkt.
 Load Carrying Capacity 80Kg / Pair



TWR 506 U

25/27/29mm 4 Single 625ZZ
 V Groove Moulded Precision Brg. with Bkt.
 Load Carrying Capacity 80Kg / Pair




TWR 507 V

37mm 2 Double 626ZZ
V Groove Moulded Precision Brg. with Bkt.
Load Carrying Capacity 100Kg / Pair




TWR 507 U

37mm 2 Double 626ZZ
U Groove Moulded Precision Brg. with Bkt.
Load Carrying Capacity 100Kg / Pair



TWR 508 V

25/27/29mm 2 Double 625ZZ
V Groove Moulded Precision Brg.
With Adjustable Metal Bkt.
Load Carrying Capacity 125Kg / Pair



TWR 508 U

25/27/29mm 2 Double 625ZZ
U Groove Moulded Precision Brg.
With Adjustable Metal Bkt.
Load Carrying Capacity 125Kg / Pair



TWR 509 U (SS ROLLER)

25/27/29mm 2 Double SS304 with
625ZZ U Groove Precision Brg.
with Adjustable Metal Bkt.
Load Carrying Capacity 150Kg / Pair



TWR 510 V (J)

Domal 27mm Series Double 625ZZ
V Groove Precision Brg.
Load Carrying Capacity 80Kg/Pair



TWR 510 U (J)

Domal 27mm Series Double 625ZZ
U Groove Precision Brg.
Load Carrying Capacity 80Kg/Pair



TBT001

SS Bottom Track
Available Length 5mtr



EURO-09

2 Wheel U Groove Adjustable Roller
Weight Capacity : 80Kg / Pair
Size : 15 x 20 x 150mm



EURO-10

2 Wheel U Groove Adjustable Roller
Weight Capacity : 80Kg / Pair
Size : 15 x 24 x 150mm



EURO-11

4 Wheel U Groove Adjustable Roller
Weight Capacity : 125Kg / Pair
Size : 15 x 20 x 235mm




EURO-12

4 Wheel U Groove Adjustable Roller
Weight Capacity : 125Kg / Pair
Size : 15 x 24 x 235mm



EURO-13

6 Wheel U Groove Adjustable Roller
Weight Capacity : 175Kg / Pair
Size : 15 x 24 x 300mm



EURO-14

2 Wheel U Groove Adjustable Roller
with Double Punch Housing
Weight Capacity : 125Kg / Pair
Size : 15 x 24 x 160mm



EURO-15

2 Wheel U Groove Adjustable Roller
with Double Punch Housing
Special Plastic Roller
Weight Capacity : 100Kg / Pair
Size : 15 x 24 x 160mm



EURO-16

4 Wheel U Groove Adjustable Roller
Special Plastic Roller
Weight Capacity : 150Kg / Pair
Size : 15 x 24 x 235mm



EURO-17

Single Wheel U Groove
Adjustable Roller
Weight Capacity : 40Kg / Pair
Size : 15 x 24 x 85mm



TWR 510 U

SS304 2 Roller

Weight Capacity 250Kg / Pair

Size : 35mm / 37mm



TWR 511 U

SS304 3 Roller

Weight Capacity 350Kg / Pair

Size : 35mm / 37mm



TWR 512 U

SS304 4 Roller

Weight Capacity 450Kg / Pair

Size : 35mm / 37mm




UPVC 06
UPVC Roller Single Bearing




UPVC 07
UPVC Roller Double Bearing



132 P
Mesh Roller




SLIDING
DOOR
ROLLER



DWG-01

Sr.No : 56
Door Wheel for 1 ½"
G-Channel Section With Delrin Brg.(6200)
Load Capacity Kg.65 / Set



DWG-01A

Sr.No : 56A
Door Wheel for 1 ½"
G-Channel Sec. With 608ZZ Steel Brg.
Load Capacity Kg.100 / Set




DWG-01F

Sr.No : 56F
Door Wheel for 1 ½" G-Channel Sec.
With Moulded 608ZZ High Precision Brg.
Load Capacity Kg.120 / Set



DWG-03

Sr.No : 58
Door Wheel for 1 ½" G-Channel Sec.
With Moulded Precision Brg.
Load Capacity Kg.180 / Set



DWC-06

Sr.No : 72
Door Wheel for 1" C-Sec. DO 26-Brg.
for 17 x 36mm.
Load Capacity 40Kg / Set



DWC-06A

Sr.No : 72A
Green 626ZZ Brg. for 17x36mm Sec.
Door Wheel For 1" C-Channel DO 26
Load Capacity 60Kg / Set



DWG-06F

Sr.No : 72F
Door Wheel for 1" Sec. DO 26 - Moulded
626ZZ High Precision Brg. (Magenta)
Load Capacity Kg.80 / Set



DWC-IMP 09

Sr.No : 73
Door Wheel for 1" Sec. DO 26 - Moulded
TPI Precision Brg. (Orange)
Load Capacity 100Kg. / Set



DWGL-02

Sr.No : 60
Door Wheel L' Type for 1" G-Channel
With Precision Steel Brg. Ø18 & 19mm
Load Capacity Kg.45 / Set



DWGL-05

Sr.No : 63
Door Wheel for 1" G-Channel Section
With Precision Steel Brg.Ø18 & 19mm
Load Capacity Kg.45 / Set





TSDR 001

Sr.No : 122
4 Wheel Sliding Door Wheel
for Frame Door - 80Kg



TSDR 002

Sr.No : 123
8 Wheel Sliding Door Wheel
for Frame Door - 100Kg



TSDR 003

Sr.No : 125
4 Wheel Sliding Door Wheel
for Frame Door - 80Kg



TSGR 002

Sr.No : 127
4 Wheel Glass Door Wheel
for Frameless Glass Door - 40Kg



TSGR 005

Sr.No : 128
4 Wheel Glass Door Wheel
for Frameless Glass Door - 40Kg



TDL 01
Starkey Sliding Door Lock



TDL 02
Starkey Openable Door Lock



TDL 06
Laser Key Sliding Door Lock



TDL 07
Laser Key Openable Door Lock



SLIDING
WINDOW SINGLE
POINT LOCK



CSWL 01

Concealed Sliding Window Latch ZINC Body
Slider / Receiver : Nylon
Available Colors :
Silver/Black/Brown/Golden/White/Ivory



CSWL 02

Concealed Sliding Window Latch Alu. Body
Slider / Receiver : Nylon
Available Colors :
Silver/Black/Brown/Golden/White/Ivory



CSWL 03

Concealed Sliding Window Latch Plastic Body
Slider / Receiver : Nylon
Available Colors :
Silver/Black/Brown/Golden/Ivory



CSWL 04

Concealed Sliding Window Latch Alu. Body
Slider / Receiver : Nylon
Available Colors :
Silver/Black/Brown/Golden/White/Ivory



CSWL 05

Concealed Sliding Window Latch Alu.
Full Metal Body
Available Colors :
Silver/Black/Brown/Golden/White/Ivory



CSWL 06

Concealed Sliding Window Lock
Full Metal Body
Available Colors :
Silver/Black/Brown/Golden/White/Ivory



CSWL 07

Concealed Sliding Window Lock Zinc Body
Slider / Receiver : Nylon
Available Colors :
Silver/Black/Brown/Golden/Ivory



CSWL 08

Concealed Sliding Window Lock Alu. Body
Available Colors :
Silver/Black/Brown/Golden/Ivory



TSL001-1

Domal Conceal Lock
Available Colors :
Black/White/Golden/Ivory



TSL001-2

Domal Conceal Lock
Available Colors :
Black/White/Golden/Ivory



TSL002

Domal Conceal Lock
Available Colors :
Black/White/Golden/Ivory



TSL003

Domal /Euro Conceal Lock
Available Colors :
Black/White/Golden/Ivory



TCL001

Center Lock
Available Colors :
Black/White



TCL-004WK

Center Lock with Key
Available Colors :
Black/White



TCL005

Center Lock
Available Colors :
Black/White

MORTISE HANDLE





TDH-001

Mortise Handle

Finsih Available : Black / White



TDH-002S

Square Mortise Handle


Finsih Available : Black / White



TDH-003R

Round Mortise Handle

Finsih Availabel : Black / White



TBC CASEMENT DOOR CYLINDER

Item Code	Description	A	B	C	FINISH
TBC701	70mm Both Side Key	70mm	35mm	35mm	SS/Black
TBC702	70mm One Side Key One Side Knob	70mm	35mm	35mm	SS/Black
TBC803	80mm Both Side Key	80mm	30mm	50mm	SS/Black
TBC804	80mm Outward	80mm	30mm	50mm	SS/Black
TBC805	80mm Inward	80mm	50mm	30mm	SS/Black
TBC806	80mm Both Side Key	80mm	40mm	40mm	SS/Black
TBC807	80mm One Side Key One Side Knob	80mm	40mm	40mm	SS/Black



CASEMENT DOOR SINGLE POINT LOCK BODY

Item Code	Description	QTY. / BOX
TSLB01	20mm Single Point Door Lock Body	1
TSLB02	25mm Single Point Door Lock Body	1
TSLB03	30mm Single Point Door Lock Body	1
TSLB04	35mm Single Point Door Lock Body	1



TSLB005 SS304 LOCK STRIKER



GEAR BOX



TDL 03

6mm B/S Gear Box
Back Set : 6mm
Finish : Black



TDL 04

14.5mm B/S Gear Box
Back Set : 14.5mm
Finish : Black



TDL 05

25mm B/S Gear Box
Back Set : 25mm
Finish : Black



TCH001

Openable Window Handle
Available Color : Black | White | Golden



TCH002

Openable Window Handle
Available Color : Black | White | Golden



TCH003 ECO

Openable Window Handle
Available Color : Black | White | Golden



TCH004

Openable Window Handle
Available Color : Black | White | Golden

FRICION STAY
SS 201 From
8" to 30"



SIZE	WEIGHT CAPACITY	BAR THICKNESS	MASTER PACKING	BARS OPENABLE	DEGREE
EFRS - 8"-19	12 KGS	2 MM	50	4	65°
EFRS - 10"-19	14 KGS	2 MM	50	4	90°
EFRS - 12"-19	16 KGS	2 MM	50	4	90°
EFRS - 14"-19	18 KGS	2 MM	50	4	90°
EFRS - 16"-19	22 KGS	2.5 MM	50	4	90°
EFRS - 18"-19	24 KGS	3 MM	50	4	90°
EFRS - 20"-22	26 KGS	3 MM	30	5	65°
EFRS - 24"-19	30 KGS	3 MM	20	6	55°
EFRS - 24"-22	40 KGS	3 MM	20	6	55°
EFRS - 28"-22	85 KGS	3 MM	20	7	30°
EFRS - 30"-22	100 KGS	3 MM	20	7	30°



SS 201 RESTRICTION
ARM STAY
(2 BAR ARM STAY)

Size Available : 10" & 12"



MULTI POINT LOCKING **HANDLES**




TCH-600

Cremone Fork Driven Handle
Material : Zinc




TCH-610

Cremone Short Neck Fork Driven Handle
Material : Zinc




THF-01 20

FORK SIZE 20mm
Material : Zinc



THF-02 40

FORK SIZE 40mm
Material : Zinc



THF-03 50

FORK SIZE 50mm
Material : Zinc



TCH-049

Multi Point Locking Handle
Available Color : Black | Silver
Fork Driven Handle
Material : Aluminium



TCH-050

Multi Point Locking Handle
Available Color : Black | Silver
Fork Driven Handle
Material : Aluminium



TCH-048

Multi Point Locking Handle
 Available Color : Black | Silver
 Fork Driven Handle
 Material : Aluminium



TCH-048WK

Multi Point Locking Handle
 Available Color : Black
 Fork Driven Handle
 Material : Aluminium



TCH700

Multi Point Locking Handle

Available Color :

Black | Champagne | Silver

Rod Driven Handle / Fork Driven Handle

Material : Aluminium



TCH710

Multi Point Locking Handle

Available Color :

Black | Champagne | Silver

Rod Driven Handle / Fork Driven Handle

Material : Aluminium






TCH830

Multi Point Locking Handle
 Available Color : Black | Champenge | Sliver
 Rod Driven Handle
 Material : Aluminium



TCH831


Multi Point Locking Handle
 Available Color : Black | Champenge | Sliver
 Rod Driven Handle
 Material : Aluminium



TF 20

Fork 20mm

Material : Aluminium



TF 40

Fork 40mm

Material : Aluminium



CHILD SAFETY LOCK



TCH-050-836

Multi Point Locking Handle

With Child Safety Lock

Available Color : Black

Rod Driven Handle

Material : Aluminium





CASEMENT WINDOWS & **DOORS HINGES**



TBH001-2

40mm

2 - WING BUTT HINGE

Available with Zinc /
SS202 Locking Plate



TBH001-3

40mm

3 - WING BUTT HINGE

Available with Zinc /
SS202 Locking Plate



TBH002-2

50mm Euro

2-WING BUTT HINGE

Available with Zinc /
SS202 Locking Plate



TBH002-3

50mm Euro
3-WING BUTT HINGE
Available with Zinc /
SS202 Locking Plate



TBH003-2

52mm Euro
2-WING BUTT HINGE
Available with Zinc /
SS202 Locking Plate



TBH003-3

52mm Euro
3-WING BUTT HINGE
Available with Zinc /
SS202 Locking Plate



HEAVY DUTY DOOR HINGES

TBH004-2
50mm Euro 2-WING DOOR HINGE



HEAVY DUTY DOOR HINGES

TBH004-3
50mm Euro 3-WING DOOR HINGE



TNIH-001
Nib Holder
One-Way Device



TNIH-002
Mini Nib Holder
Two-Way Device



TNIH-003
Nib Holder
Two-Way Device



TNIH-004
Straight J-Type Nib
Straight T-Type Nib



TNIH-005
Mini Rod
Connecting Device



TNIH-006
Sliding One Way Connected
Multi Locking Device



TNH-007

Sliding Two Way Connected
Multi Locking Device



TNH-008

Casement One Way Connected
Multilocking Device



TNH-009

Rod Connecting Device



TNH-010

Mini Rod Connecting Device



TNH-011

Mini Rod Connecting Device



TNH-012

ROD Connector



TNH-013
Frame Striker
For Open Track



TNH-014
8.5mm Sleek Frame Striker
for Multi-Lock



TNH-015
6.5mm Sleek Frame Striker
for Multi-Lock



TNH-016
Duck Hook Frame Striker



TNH-017
Sliding Multi Locking Receiver



TNH-018
Sliding Multi Locking Receiver



TNH-019
Sliding Striker



TNH-020
Pawl Locking
Adjustable Striker



TNH-021
Non Euro Pawl
Espage Striker



TNH-022
Pawl Locking
Fix Striker



TNH-023
Non Euro Pawl
Locking Striker



TNH-024
Adjustable Locking Pawl



TTRG 001 ➤

**ALUMINIUM CASEMENT
MUTI-LOCK TRANSMISSION ROD**

TMTR 600

Size : 600mm
Lock Point : 2

TMTR 800

Size : 800mm
Lock Point : 2

TMTR 1000

Size : 1000mm
Lock Point : 2

TMTR 1200

Size : 1200mm
Lock Point : 2

TRANSMISSION
ROD GUIDE
TTRG 001



**SHOOT
BOLT ROD**

TSB 001250

Size : 250mm
Finish Available :
Black / White

TSB 001420

Size : 420mm
Finish Available :
Black / White

TSB 001540

Size : 540mm
Finish Available :
Black / White



**EURO RUN
UP BLOCK
TPRLK-01**



**CASEMENT
BOTTOM STRIKER
TFD80Y**

50mm Casement Bottom Striker
Material : Zinc



**BUMP
STOPPER**

Metal Bump Stopper
Material : Zinc



TCC-10
Aluminium Corner Connector
Premium Connector

Item Code	Description
TCC1022	10X22mm Adj. Corner Connector
TCC1024	10X24mm Adj. Corner Connector
TCC1026	10X28mm Adj. Corner Connector
TCC1031	10X31mm Adj. Corner Connector
TCC1036	10X36mm Adj. Corner Connector
TCC1041	10X41mm Adj. Corner Connector



TCC-14
Aluminium Corner Connector
Premium Connector

Item Code	Description
TCC1424	14X24mm Adj. Corner Connector
TCC1425	14X25.5mm Adj. Corner Connector
TCC1428	14X28mm Adj. Corner Connector
TCC1431	14X31mm Adj. Corner Connector
TCC1434	14X34mm Adj. Corner Connector
TCC1436	14X36mm Adj. Corner Connector



TCC-4138
Aluminium Corner Connector
50mm Door Frame Connector



TCC-3836
Aluminium Corner Connector
50mm Door Shutter Connector



TAC001

Corner Connector
Aluminium Casted
27mm Series



TAC002

Corner Connector
Aluminium Sec.
27mm Series Without Nut



TAC003

Corner Connector
Aluminium Sec.
27mm Series With Nut



TAC004

Magic Corner Connector
27mm Series



TAC005

Openable Window Z Series
Corner Connector
Aluminium Casted



TAC006 (2735)

50mm Window Shutter
Corner Connector
Aluminium Casted



TAC007 (1022)

Sleek Interlock Connector



TAC008 (1022)

Sleek Interlock Connector



TAC009

40mm Window
Mullion Connector



WATER DRAIN CAP
TWDC-001 (TFD-140P)

Material : Zinc



WATER DRAIN CAP
TWDC-002 (TFD-1021P)

Material : Zinc



WATER DRAIN CAP
TWDC-003 (TF537)

Material : Plastic



WATER DRAIN CAP
TWDC-004

Material : Plastic



WATER DRAIN CAP
TWDC-005

Material : Plastic



WATER DRAIN CAP
TWDC-006

Material : Plastic



WATER SLOT COVER
TWDC 007

Material : Plastic



WATER SLOT COVER
TWDC 008

Material : Plastic



DRAIN BALL VALVE
TWDC 009

Material : Plastic



EURO ANTILIFT WITH
BUMP STOPPER
TPA 010

Material : Plastic



**INTERLOCK CAP
FOR V GROOVE
TPA 011**

25mm / 29mm / 32mm



**INTERLOCK CAP
FOR U GROOVE
TPA 012**

25mm / 29mm / 32mm



**INTERLOCK COVER
CAP FOR V GROOVE
TPA 013**

29mm Series



**INTERLOCK COVER
CAP FOR U GROOVE
TPA 014**

29mm Series



**INTERLOCK COVER
CAP FOR U GROOVE
TPA 015**

35mm Series



**EURO ANTILIFT WITH
BUMP STOPPER
TPA 016**

Material : Plastic
37mm Series



CHEVRON SERIES

CEH-4.5

Size : 4.5mm
Material : SS

CEH-6.5

Size : 6.5mm
Material : SS

CEH-7

Size : 7mm
Material : SS

CEH-9.5

Size : 9.5mm
Material : SS

CEH-12

Size : 12mm
Material : SS

CEH-18.4

Size : 18.4mm
Material : SS



TAC 16SS



TAC 18.6SS

SSL CLIP FOR CASEMENT 50MM

TAC 16SS

Size : 16mm
Material : SS

TAC 18.6SS

Size : 18.6mm
Material : SS



WEATHER STRIP

For Aluminium / UPVC Doors & Windows

WEATHER STRIP
AVAILABLE IN
NON-SILICONISED
& SILICONISED.

FEATURES

- High Efficiency
- Energy Saving
- Special High Elastic Pile
- Perfect Durability

ALUMINIUM
DOORS &
WINDOWS

- 6.8mmx5mm - 3P
- 6.8mmx6mm - 3P
- 6.8mmx7mm - 3P
- 6.2mm x5mm - 3P
- 6.2mmx6mm - 3P
- 13mmx7mm - 8P
- 8.4mmx 9.0mm - 3P/4P

Available Roll Size :
100mtr/175/225/
200mtr/250mtr

UPVC
DOORS &
WINDOWS

- 6.0mmx5mm - 3P
- 6.0mmx6mm - 3P
- 6.0mmx7mm - 3P
- 6.0mm x8mm - 3P
- 4.8mmx5mm - 3P
- 4.8mmx6mm - 3P
- 4.8mmx7mm - 3P
- 4.8mm x8mm - 3P

Available Roll Size :
200mtr/250mtr

SILICONISED
WEATHERSTRIP
WITH FIN DOORS
& WINDOWS

- 6.8mmx6mm - 4P
- 6.8mmx7mm - 4P
- 4.8mmx6mm - 4P
- 6mmx6mm - 4P

Available Roll Size :
200mtr





EPDM RUBBER SEAL


Flexible Adhesive Weatherstrip For Door & Windows

TEPDM 001BR
E Profile 9 x 4 Brown

TEPDM 002BR
D Profile 9 x 6 Brown

Available Roll Size :
6 mtr

FEATURES





CML No :
7600182514



IS 3564





TDC 101

Door Closer

Weight Capacity 70 kg



TDC 102

Door Closer

Weight Capacity 50 kg



CML No :
7600182514



IS 3564



TDC 103

Door Closer

Weight Capacity 80 kg



TDC 103-PA

Door Closer

With Palmet Arm

Weight Capacity 80 kg

CML No :
7600182514



IS 3564



TFS 101

Floor Spring With
Single Spring & Accessories
Weight Capacity 60-80Kg



TFS 102

Floor Spring With
Double Spring & Accessories
Weight Capacity 100-120Kg



TFS 103

Floor Spring With
Double Spring & Accessories
Weight Capacity 150Kg



TSG002

Caulking Gun (Silicon Gun)
Half Round - Metal Body



TSG003

Caulking Gun Plastic
(Silicon Gun)
Orange Half Round



TSG008

Caulking Gun
(Silicon Gun)
Half Round Orange




TSG009

Caulking Gun For 600ml Sausage
(Silicon Gun)



TGL007

Glass Lifter Aluminium Die Cast 3 Cup,
Suction Force
Horizontal Weight Capacity : 145Kg
Vertical Weight Capacity : 135Kg
Cup Diameter : 123mm



DOOR PIVOT
TDPV 001

Strong & Durable Door Pivots



DRY WALL SCREW


AVAILABLE FINISH	AVAILABLE SIZES	PCS / BOX	BOX / CARTON
BLACK	6 x 19mm	1000 Pcs	40 Box / Carton
NICKLE	6 x 25mm	1000 Pcs	36 Box / Carton
	6 x 32mm	500 Pcs	40 Box / Carton
	6 x 38mm	500 Pcs	36 Box / Carton
	6 x 50mm	250 Pcs	40 Box / Carton
	6 x 60mm	250 Pcs	40 Box / Carton
	6 x 75mm	200 Pcs	40 Box / Carton



WALLPLUG

SR.NO : 115

AVAILABLE COLOR	AVAILABLE SIZES	PCS / BOX	BOX / CARTON
GREY	6 x 30mm	100 Pcs	120 Box / Carton
	7 x 35mm	100 Pcs	120 Box / Carton
	8 x 40mm	100 Pcs	120 Box / Carton



tagus
LUXURY FURNITURE FITTINGS

TAC

DHRIMEET
HARDWARE SOLUTION



NOZZLE AUTO ASSOCIATION PVT.LTD.

Plant & Marketing Office Plot No A – 230, 21 – Y Road, Wagle Industrial Estate, Thane (W) 400604. India.

GUJARAT PLANT

C/O. Amrut Metal, Survey No.244, plot No.5, Inside Repute food gate
Tal. Kotda Sangani, Veraval (Shapar) – 360024. Dist. Rajkot, Gujarat. India.

DHRIMEET HARDWARE SOLUTIONS

Shed No.1, RS No.246, Plot No.9/A, Opp. Krishna Fastners Tal. Kotda Sangani, Veraval (Shapar) – 360024.
Dist. Rajkot, Gujarat – 360024. India.

TPI SMART INDUSTRIES

Survey No.198, Plot No.6, Dist. Rajkot, Tal. Kotda Sangani,
Veraval (Shapar) – 360026 Gujarat. India.

TPI ARCHITECTURAL FITTINGS

403 Matruchhaya 378/380, Narsi Natha Street, Masjid Bunder, Mumbai 400009. India.

TAGUS HARDWARE CONCEPTS

Plot No.211, Sub Plot No.211/1/A, 211/1/B, 211/1/C, Nr. Sarvoday School, B/H. Pitrukrupa Hotel,
Tal. Kotda Sangani, Veraval (Shapar) – 360026. Dist. Rajkot, Gujarat. India.

E:mail : sales@tpibearings.com | tpibearingsindia@gmail.com
Contact :+91 91733 88411



www.tpibearings.com